Innovative road management system نظام مبتكر لإدارة الطرقات

InfraDoctor[®]


A cutting-edge system for supporting infrastructure maintenance utilizing GIS and 3D point cloud data

Mobile Mapping System




3D point cloud data are acquired by a Mobile Mapping System (MMS) vehicle, equipped with laser scanners and all-direction panoramic cameras.

Analysis of rutting and cracking rate on the pavement surface



3D dimension measurement



The 3D point cloud on a cloud server data has an accurate three-dimensional coordinate (X, Y, Z), allowing the measurement of any dimensions between two points while staying in work office.

Result of road pavement condition on GIS

InfraPatrol[®]

A system checking the daily road inspection work more efficiently and promptly, then confirming a damage on the road surface automatically


Feature

- Capturing the whole patrol process with moving pictures, which enable to the video later without re-run.
- The serious damage found by on-board visual inspection is immediately notified to the road administrator.

In order to be a safe and more relief road. **A revolutionary patrol inspection** system that changes future road

Sharing

gineers can share location nation, sensor information, and video reproduction by "Road inspection video sharing system



management work.

Website

Company profile

InfraDoctor

Brochure

- Engineering Consulting Service

InfraDoctor

METROPOLITAN EXPRESSWAY COMPANY LIMITED

https://www.shutoko.co.jp/en/index/






Current situation and problem of expressways

- ◆ At least 40% of the total expressways-length has been operated for more than 30 years and because of this, the expressways are seriously deteriorated.
- ◆ At least 40% of the total bridge-length and 20% of total tunnel-length were also constructed more than 30 years ago and they are facing increased risk by the aged deterioration.
- The total vehicle weight is increasing with the increase in the number of large-scale vehicle on the expressways. The expressways are under severe conditions such as increasing in the usage of anti-freezing agent (NaCl) and the increase in the amount of extreme rainfall for a short time.



Severe environment in snow region






Concrete cracks and float


Elapsed years of the expressway transition

Concrete free lime

Damaged Condition



Severe deterioration on slab lower surface





Open to Traffic (1963)

Expressway Renewal Project التجديد

Large-scale renovation for bridges


e.g. Replacement of RC concrete slab with PC precast slab



Deteriorated Structure (2014)



Undergoing Renewal Works (2019)





Renewed Segment (planed in 2026)



Road Surface

One of unique road surface inspection vhiecles, not only can measure rutting, cracking, and flatness (σ 10ft, IRI) but also longitudinal and transverse pavement measurements without making contact with the pavement.

It can smoothly and safely perform all 6 functions at 100km/h without impacting the flow of other traffic.





High-Speed Road Surface Measuring Vehicle (Road Tiger)


Tunnel Liner



Inspection vehicle



Filming in a tunnel



Crack analysis (minimum 0.2mm in width)

Tunnel liner inspection vehicle:

It is now possible to obtain a clearer image at a speed of 100km/h by adopting the line sensor camera instead of the conventional video camera. In addition, because the photographing illumination using LED infrared illumination is not visible to the naked eye, it no longer influences on the passing vehicles on the opposite direction. Moreover, this vehicle automatically identifies the cracks by the captured image.

Expressway Inspection & Diagnosis التفتيش والتشخيص

Bridge

Digital camera/video camera system - Crack inspection:


High definition images taken by digital camera or video camera makes it possible to inspect the surface of a structure in the same way as the close visual inspection. Through a computer analysis of the images, the clacks are automatically detected.

Infrared Camera System – **Delaminations / spill inspection:**

The infrared camera system takes images which is analyzed automatically and displays the damage level in three stages. Because damages are objectively analyzed by software, bias or oversight in measuring caused by skill difference can be prevented. In addition, this system helps to create a research report since the detected results are easily captured on spreadsheets or word processing software. This system has gotten track records in the U.S.














Bridge inspection using Infrared Camera System



Infrared thermal image



Damage is detected by computer analysis



Automatic crack-analysis by computer



Video Camera System




Disaster Prevention

Disaster caused by extreme rainfall for a short time



Ground anchor


New type of anchor installation filling up traditional anchor with inadequate anticorrosion function **Existing conventional**



The recovery of the Tomei expressway in Makinohara area

Immediately after the Surugawan earthquake, NEXCO-Central started emergency checkup and stopgap recovery, and 4 days later, finished temporary recovery for general traffic.





Aug. 11th 2009

Earthquake Museum for educational assistance on disaster prevention

Great Hanshin-Awaji Earthquake occurred in January 1995, took precious lives and destroyed cherished livings of local communities. Earthquake Museum conveys how Hanshin Expressway responded in the 623 days to complete the restoration of the expressway system. It displays damaged structures and introduces new technologies and various activities which put into practice based on the lessons including disaster management support and educational assistance for disaster prevention.



Disaster Management الوقاية من الكوارث







Aug. 15th 2009 (4 days later)

Use of rest areas as disaster-management bases

In the Great East Japan Earthquake, the Self-Defense Forces and firefighters heading to stricken areas used expressway rest areas as relay and support bases. Based on this experience and various issues, authorities are bolstering their disaster-response capabilities across Japan to respond effectively and efficiently to emergencies, using Moriya SA on the Joban Expressway as their model.

• Moriya Service Area (Southbound) on Joban Expressway, as a disaster management base

Disaster-response warehouse Inflatable tents for outdoor use, emergency food and rations, relief supplies, traffic regulation equipment and other suppliers are store at this Disaster-response warehouse



Heliport for mid-size Helicopters Nighttime illumination and a helicopter office have been installed, enabling safe landing and take-off day and night



Well


A well has been dug in case of interruption of water supply




The food court is used as a disaster management office (1st Floor)

The food court layout can be rearrange for use as a disaster management office, under disaster situations

- Electrical power outlets and T\
- antenna terminals are installed - Large monitors and whiteboards are installed










General situation

Emergency situation
























Company Name: East Nippon Expressway Company Limited Head Office: Tokyo Expressway in Operation: 3,943km Traffic Volume: 2.95million vehicles/day Toll Revenue: US\$ 7.82billion Expressway under Construction: 75km



Company Name: Central Nippon Expressway Company Limited Head Office: Nagoya Expressway in Operation: 2,132km **Traffic Volume:** 1.98million vehicles/day Toll Revenue: US\$ 6.30billion Expressway under Construction: 132km



Company Name: Metropolitan Expressway Company Limited Head Office: Tokyo Expressway in Operation: 320.1km **Traffic Volume:** 1.02million vehicles/day Toll Revenue: US\$ 2.4billion Expressway under Construction: 17.5km